



	House Type Approval Certificate		Certificate No: STAS/20/052/DM112/17		1112/17	
			Date:	17 July 2020		
Α	Certificate Holder:					
	CALA Homes Ltd Adam House, 5 Mid New Cutlins,	Edinburgh EH11 4DU				
	E-mail: SKelso@Cala.co.uk		Tel: 0131 453 0072			
В	House Type Titles:					
	Description:			CAIRN X		
С	The domestic type approval has been a	ssessed on the following dune to this certificate	rawings and specification	ons:		
	See attached and	lexe to this certificate				
D	Climatic conditions: The design may	be built in areas where the	climatic conditions are	equal to or less than those	detailed below:	
	Wind: (as defined in BS 6399-2)	Standard effective wind s	peed. Ve =		47.5 m/s	
		For maximum effective he	eight =		9m to ridge	
		Has funnelling been cons	idered?		No	
	Wind: (as defined in CP3: Chapter	Design wind speed, Vs =			24.5m/s	
	V)	(relevant to the building fr	rame, at a height of 3m	or less)		
		Site snow load, So =			0.75 kN/m2	
	Snow: (as defined in BS 6399-3)	Influenced by adjacent bu	uildings?		No	
	Resistance to moisture/durability of exposed elements:	stance to moisture/durability posed elements: Max exposure (to wind driven rain) grading, as of Thermal Insulation: Avoiding Risks, Second Edit			Exposure Zones 1, 2, 3 and 4	
	or exposed elements.	zone:	ing Naka, Second Luid		4	
		Exposure to sea spray (i.e			No	
		Other air contaminants or enhanced resistance if ap	biological factors – plea oplicable (refer to BS754	ase specity any 43 for quidance)	None	
			·			
	Design Life: (per BS 7543 – Durability of buildings and building	Category of building desig	gn life =		60 years	
	elements, products and components)	Design life of primary buil	ding envelope		60 years	
					-	
Е	Conditions of certification:					
	1. The design shown and the spec	ifications and materials ref	erred to have been ass	essed and annroved in acc	ordance with the Building	
	(Scotland) Regulations 2004 and in accordance with the supporting guidance in the Domestic Technical Handbooks which came into force with effect from 1 October 2019.				dbooks which came into force	
	2. The certificate shall be valid until invalidated by formal notice by the Local Authority Building Standards Scotland					
	 The design shown and the materials specified shall not be changed without reference to the Local Authority Building Standards Scotland responsible for certifying the system. 					
	4. Where reference is made on a plan or specification document to any Code of Practice, British or European Standard or manufacturer's					
	 instruction it shall be construed This certificate should not be re 					
	2003 enacted from 1 May 2005	garaeu as a ionnaí applove	a under the building Wa	nant process prescribed by		
	6. The Harley Haddow Consulting					
		appraisal has been carried out. It confirms that further site specific information MUST BE made available when a site specific building				
	warrant is sought. Such additional information should take cognisance of Procedural Guidance on Certification including information to be submitted with a Building Warrant Application dated April 2010 Version 2 (January 2017). Confirmation of a holistic approach to structural					
	adequacy of the entire completed building shall be provided by a registered engineer to the local authority within whose area the site specific					
	dwelling is to be built.					





Annexe of drawings, certificates and specification documents used in the assessment:

Drawing Number:	Revision:	Description:
CALA plans:		
CRN-WD1-X	А	GENERAL ARRANGEMENT - PLANS and ELEVATIONS
CRN-WD2.1	А	UNDERBUILDING - SUSPENDED SLAB
CRN-WD2.2	А	SECTIONS A-A, B-B and C-C - ROOF TRUSS PROFILES
CRN-WD6	А	STAIR DETAILS - PLANS and SECTIONS
Harley Haddow plans:		
306061-CAI-X-02	-	FOUNDATION & SUSPENDED SLAB LAYOUT & SECTIONS
306061-CAI-X-03	-	GROUND AND FIRST FLOOR LAYOUTS
306061-CAI-X-04	-	ROOF LAYOUT AND DETAILS
306061-CAI-X-05	-	TIMBER FRAME CONSTRUCTION DETAILS
306061-CAI-X-06	-	EXTERNAL MASONRY LEAF DETAILS
NC Designs plans:		
Cairn X 11854 ASHP:		
11854/M229	-	GROUND FLOOR SPACE HEATING DESIGNS (HYBRID CUSTOM)
11854/M230	-	FIRST FLOOR SPACE HEATING DESIGNS (HYBRID CUSTOM)
11854/M231	-	EQUIPMENT SCHEDULE (HYBRID CUSTOM)
11854/M232	-	GROUND FLOOR DHW DESIGNS (HYBRID CUSTOM)
11854/M233	-	FIRST FLOOR DHW DESIGNS (HYBRID CUSTOM)
Cairn X 11958 BOILER/PV:		
11958/M229	-	GROUND FLOOR SPACE HEATING DESIGNS (BOILER/PV)
11958/M230	-	FIRST FLOOR SPACE HEATING DESIGNS (BOILER/PV)
11958/M231	-	EQUIPMENT SCHEDULE (BOILER/PV)
11958/M232	-	GROUND FLOOR DHW DESIGNS (BOILER/PV)
11958/M233	-	FIRST FLOOR DHW DESIGNS (BOILER/PV)
Drainage plans:		
Cairn 6506-80	-	ABOVE GROUND DRAINAGE ISOMETRIC
Ventilation plans:		
Cairn DMEV:		
GF DMEV-207	-	GROUND FLOOR DECENTRALISED MECHANICAL EXTRACT VENTILATION
FF DMEV-208	-	FIRST FLOOR DECENTRALISED MECHANICAL EXTRACT VENTILATION
	X	

Certification CALA Homes Light And Space House Type Range STAS Approval - Statement of Structural Adequacy

Н	Specification				
	Elmhurst Energy SAP Report Submission for Building Regulations				
	Compliance (Hybrid and PV)				
	Refer to STAS/21/052/DM126/SD	Standard Light and Space Details			
	Refer to STAS/21/052/DM126/SS	Standard Light and Space Specifications			
	Refer to STAS/21/052/DM126/UCR	Standard Light and Space U-Values and Condensation Risk			

1	Authority:				
	This system type approval certificate consisting of 2 pages is authorised by:	Signature:			
		•	Robert A Renton, Secretary to STAS		
			on bobalf of the Local Authority Building Standards Soctland (LARSS)		

on behalf of the Local Authority Building Standards Scotland (LABSS)