



House Type Approval Certificate

Certificate No:	STAS/19/038/DM101/12
Date:	6 April 2020

Certificate Holder:	ta Unit C. Linkskauga Duilding, Marshkum Duiva, Deislau, DA2.00	1
Taylor wimpey west Scotland L	td, Unit C, Lighthouse Building, Marchburn Drive, Paisley, PA3 2S	J
E-mail: Kenny.blue@taylorwimpe	y.com Tel: 0141 849 5500)
House Type Titles:		
Description:	Dunlop 4 TK – 4 bedroom three storey house with n semi-detached options	nid/end terraced and
	· · ·	
	assessed on the following drawings and specifications:	
See attached a	nnexe to this certificate	
Climatic conditions: The design ma	y be built in areas where the climatic conditions are equal to or less than the	se detailed below:
Wind: (as defined in BS 6399-2)	Standard effective wind speed, Ve =	24m/s
	For maximum effective height =	5m
	Has funnelling been considered?	NO
Wind: (as defined in CP3: Chapter	Design wind speed, Vs =	N/A
V)	(relevant to the building frame, at a height of 3m or less)	
Snow: (as defined in BS 6399-3)	Site snow load, So =	0.60 Kn/m2
	Influenced by adjacent buildings?	NO
Resistance to moisture/durability of exposed elements:	Max exposure (to wind driven rain) grading, as defined in BRE Report – Thermal Insulation: Avoiding Risks, Second Edition, 1994, to be exposure zone: Exposure to sea spray (i.e. coastal region) or de-icing salts?	Zone 1, Zone 2, Zone 3
	Other air contaminants or biological factors – please specify any	
	enhanced resistance if applicable (refer to BS7543 for guidance)	NO
Decime Life, (cor DC 7542	Category of huilding design life	F0 Veere
Design Life : (per BS 7543 – Durability of buildings and building	Category of building design life =	50 Years
elements, products and	Design life of primary building envelope	50 Years
components)		
Conditions of certification:		
1. The design shown and the sp	ecifications and materials referred to have been assessed and approved in a	cordance with the Puilding
	and in accordance with the supporting guidance in the Domestic Technical Ha	
force with effect from 1 Octob	er 2019.	
2. The certificate shall be valid u	ntil invalidated by formal notice by the Local Authority Building Standards Sci	otland
	aterials specified shall not be changed without reference to the Local Authorit	y Building Standards Scotlar
responsible for certifying the s		Standard or manufacturaria
	a plan or specification document to any Code of Practice, British or European d as a reference to such publication in the form in which it is in force at the d	
	regarded as a formal approval under the building warrant process prescribed	
2003 enacted from 1 May 200		-,
	dated 01/11/2019 referenced here under Section G, confirm that a structural	and a set of the set of a set of a set of a

Further site-specific information MUST BE made available when a site-specific building warrant is sought. Such additional information should take cognisance of Procedural Guidance on Certification including information to be submitted with a Building Warrant Application dated April 2010 Version 2 (2017). Confirmation of a holistic approach to structural adequacy of the <u>entire completed building</u> shall be provided by a registered engineer to the local authority within whose area the site specific dwelling is to be built.

7. This certificate confirms compliance with mandatory standard 6.1. However, this is based on a notional 'worst case' criteria with regards to orientation, shading, sheltering and resultant PV array efficiency. Site specific information will be required to confirm the actual DER for the STAS approved house type on each plot on a particular site.





Annexe of drawings, certificates and specification documents used in the assessment:

Annexe	e of drawings, certificates and specificati	
F	Drawing Number:	Description:
	DUN 4 TK/00.00 Rev D	GA drawing package (including associated drawing register), 40 pages.
	DUN 4 TK/00.00 Rev E	GA drawing package (updated as related to smoke detection provision), 5 pages.
	12231-01	Heating – Ideal, 9 pages
	01-1	DMEV ground/first floor mid
	01-2	DMEV second floor mid
	01-3	DMEV details
	00/01/02-Rev C, 01-a	DMEV layout end terraced option
	8194/DUN-MID-AS/W01	Kit layout – SM option, 5 pages
	8532/DUN-END-AS/W01	Kit layout – SM option, 5 pages
	A16088	Plumbing isometric
	i091070 Rev A	GRP dormer detail
	SC16/DRUM4/D/45	Joist layout first floor
	TW 2016 TK Details (rev A)	Standard detailing book, 53 pages
	TW 2010 TK Details (lev A)	
G	Certification:	
	Statement of structural adequacy	Indev Consult statement dated 01/11/2019
	ARC Building Solutions LTD	Certifier certificate of approval for cavity/fire barriers
	BBA certificate 17/5434	Stormking GRP prefabricated roof
Н	Specification:	
	2016 Timber Frame Specification Rev (C Specification, 2 sheets
	SAP ratings	Regulation compliance report for semi-detached
	U value calculations	For all elements
	Doorkit schedule rev A	National Hickman - Doorkit Schedule
	Lintol schedule	Keystone schedules and summary, 2 pages
	Stair specific specification	Jeldwen and Staircraft options
	Broadband specification	For compliance with 4.14.
	PV layouts	Indicative arrays for all house types
		I multanive anays for an mouse types
	Authority:	
	This system type approval cortificate	
	This system type approval certificate consisting of 2 pages is authorised by:	Signature:
	consisting of 2 pages is authorised by:	
		Lead Authority Building standards Manager
		on behalf of the Local Authority Building Standards Scotland (LABSS)
	T I I	