



	House Type	Certificate No:	STAS/15/015/DM	50/12/AMD01			
	Approval Certif	Date:	26 February 2018				
	Oradificate Halden						
Α	Certificate Holder: Springfield Properties, Springfield H	ouse, 3 Central Park Avenu	ie, Larbert, FK5 4RX				
	E-mail: gregor.robertson@spring	E-mail: gregor.robertson@springfield.co.uk Tel: 01324 555536					
			Tel: 01524 555550				
В	House Type Titles:						
	Description:	Huntly – 3B 1316dt	detached two st	torey house with in	tegrated garage		
С	The domestic type approval has been assessed on the following drawings and specifications:						
Ŭ	See attached annexe to this certificate						
D Climatic conditions: The design may be built in areas where the climatic conditions are equal to or less than those				equal to or less than those d	etailed below:		
	Wind: (as defined in BS 6399-2)	Standard effective wind sp			44.1 m/s		
		For maximum effective heir Has funnelling been consid			10.0m NO		
	Winds (as defined in CD2). Charter	Design wind speed Vo -			05 5 m/s		
	Wind: (as defined in CP3: Chapter V)	Design wind speed, Vs = (relevant to the building fra	me, at a height of 3m o	or less)	25.5 m/s		
	Snow: (as defined in BS 6399-3)	Site snow load, So =			0.75 Kn/m2		
		Influenced by adjacent buil	dings?		NO		
	Resistance to moisture/durability	Max exposure (to wind driv	en rain) grading, as de	fined in BRE Report –	Zone 4		
	of exposed elements:	Thermal Insulation: Avoidir					
		zone: Exposure to sea spray (i.e.					
		Other air contaminants or t enhanced resistance if app			NO		
			•		-		
	Design Life: (per BS 7543 – Durability of buildings and building	Category of building desigr	n life =		60 years		
	elements, products and components)	Design life of primary build	ing envelope		60 years		
-							
5	E Conditions of certification:						
1. The design shown and the specifications and materials referred to have been assessed and approved in accordance with the supporting guidance in the Demotio Technical Handbooks which					dance with the Building		
	 (Scotland) Regulations 2004 and in accordance with the supporting guidance in the Domestic Technical Handbooks which came into force with effect from 1 October 2013. The certificate shall be valid until invalidated by formal notice by the Local Authority Building Standards Scotland The design shown and the materials specified shall not be changed without reference to the Local Authority Building Standards Scotland responsible for certifying the system. Where reference is made on a plan or specification document to any Code of Practice, British or European Standard or manufacturer's 						
	 instruction it shall be construed as a reference to such publication in the form in which it is in force at the date of this certificate. This certificate should not be regarded as a formal approval under the building warrant process prescribed by the Building (S cotland). 						
	 2003 enacted from 1 May 2005 The Bill Henderson Consulting Engineer Ltd statement dated May 2015 and amended statement dated 23 January 201 under Section G, confirm that a structural appraisal has been carried out. Further site-specific information MUST BE ma site-specific building warrant is sought. Such additional information should take cognisance of Procedural Guidance on 						
	information to be submitted with a Building Warrant Application dated April 2010 Version 2. Confirmation of a holistic approa- adequacy of the entire completed building shall be provided by a registered engineer to the local authority within whose area						
	adequacy of the <u>entire complete</u> dwelling is to be built.	ed building shall be provided	by a registered engine	er to the local authority with	in whose area the site specific		





Anne		Annexe of drawings, certificates and specification documents used in the assessment:						
F	Drawing Number:	Description:						
	1316dt(AS)000	Cover sheet drawing list						
	1316dt (AS)001 D	Schedules						
	1316dt (AS)101 C	Plot Works Layout						
	1316dt (AS)205 C	Foul Water Drainage Isometric						
	1316dt (AS)301 J	General Floor General Arrangement						
	1316dt (AS)302 D	First Floor General Arrangement						
	1316dt (AS)304 K	Ground Floor Services Layout, Gas Central Heating						
	1316dt (AS)305 D	First Floor Services Layout						
	1316dt (AS)401 C	Elevations						
	1316dt (AS)501 D	Section A-A						
	1316dt (AS)502 C	Section B-B						
	1316dt (AS)503 A	Stair Sections						
	1316dt (AS)504 B	Stair Plans						
	1316dt (AS)601 B	Floor Joist Layout						
	1316dt (AS)602 A	Roof Plan						
	1316dt (AS)701 D	Accessible Cloakroom Layout						
	J1000_Huntly	Finnjoist (FJI) Kerto LVL						
	Q12593AU	Roof Truss Layout and Truss Profiles						
	608 S1 W1	Structural Notes Timber Frame Construction						
	608 S2 W3	Timber Frame Typical Details Ground Bearing Floor Slab						
	608 S5 W1	Timber Frame Typical Details Suspended Slab						
	DET(TK)03-01 B	Ground Floor Detail with Suspended Slab, Polished Finish						
	DET(TK)03-02 A	Ground Floor Detail with Ground Bearing Slab, Polished Finish						
	DET(TK)03-07 B	Dwarf Wall Detail with Suspended Slab, Polished Finish						
	DET(TK)03-16	Garage Floor Detail						
	DET(TK)04-02 B	External Wall, Internal & External Corner Detail						
	DET(TK)05-01 C	Typical Cavity Barrier Positions						
	DET(TK)08-01 B	Mid Floor Detail at External Wall, Parallel Joists						
	DET(TK)08-02 B	Mid Floor Detail at External Wall, Perpendicular Joists						
	DET(TK)08-03 B	Mid Floor Detail at External Wall, Parallel Joists						
	DET(TK)11-07 B	40 degrees Eaves Detail at First Floor Wall Head						
	DET(TK)11-08 B	40 degrees Eaves Detail at First Floor Window Head						
	DET(TK)11-12 B	Verge Detail						
	DET(TK)11-13 A	GRP Valley Detail						
	DET(TK)14-01 B	Window Cill Detail – Ground Floor, Render						
	DET(TK)14-02 B	Window Cill Detail – First Floor, Render						
	DET(TK)14-05 A	Window Jamb Detail – Render						
	DET(TK)14-07 B	Window Head Detail – Ground Floor, Render						
	DET(TK)14-08 B	Window Head Detail – First Floor, Render						
	DET(TK)15-01 A	External Door Detail Level Access Threshold Polished Slab Finish						
	DET(TK)15-02 A	External Door Detail Stepped Access Threshold Polished Slab Finish						
	DET(TK)29-01	Timber Kit Hold Down Strap Detail						
	DET(TK)29-02	Typical Roof Fixing Details Page 1						
	DET(TK)29-03	Typical Roof Fixing Details Page 2						
	DET(TK)29-04	Typical Roof Fixing Details Page 3						
	DET(TK)29-05	Typical Roof Fixing Details Page 4						
	DET(TK)29-06	Lintel Detail for Open Plan Option						
	CAS 8499_14	Vent Axia Huntly 1316DT						
	608 SK(HUNT)20	Structural overlay						

Annexe of drawings, certificates and specification documents used in the assessment:

G Certification:





	BRE Global Ltd Certificate of Design	For all house types				
	(Section6 – Energy)					
	BRE-S6-1-02563					
	STAS/13/053/RD06/01	Registered detail certificate for ventilation system				
	Statement of structural adequacy	From Bill Henderson Consulting Engineer Ltd dated May 2015				
		Amended statement 23 January 2017				
Н	Specification:					
	Springfield – Technical Specification –	For all house types				
	Mainstream Housing, Bronze Standard					
	Compliant Gas Central Heating					
	Revision G					
	Elmhurst SAP ratings	Huntly				
	Sustainability dated 20/02/18	Bronze				
	BRE report	Intermediate Floor sound test				
	Sound test c/03/5I/0835/1	Intermediate Floor sound test report				
	Vent Axia Lo-carbon dMEV unit	Manufacturers information for ventilation system				
	Bill Henderson Consulting Engineer	Introduction				
	Ltd Calculation Sheet 608(i)W1					
	Bill Henderson Consulting Engineer	Notes for Timber Kit manufacture				
	Ltd Calculation Sheet 608(ii)W2					
1	Authority:					
	This system type approval certificate	Signature: Carellee				
	consisting of 3 pages is authorised by:	orginature.				
		Lead Authority Building standards Manager				
on behalf of the Local Authority Building Standards Scotland (LABSS)						
Approved						
	/ Y Y					