

House Type Approval Certificate

Certificate No: **STAS/17/083/DM75/03**

Date: **10 May 2019**

A	Certificate Holder:
	Dandara Ltd 16 Beech Manor, Stoneywood, ABERDEEN AB21 9AZ E-mail: jmcintosh@dandara.com Tel: 01224 713 713

B	House Type Titles:
	Description: OAK

C	The domestic type approval has been assessed on the following drawings and specifications:
	See attached annexe to this certificate

D	Climatic conditions: The design may be built in areas where the climatic conditions are equal to or less than those detailed below:		
	Wind: (as defined in BS 6399-2)	Standard effective wind speed, V_e = For maximum effective height = Has funnelling been considered?	45.1m/s 9.0m No
	Wind: (as defined in CP3: Chapter V)	Design wind speed, V_s = (relevant to the building frame, at a height of 3m or less)	N/A
	Snow: (as defined in BS 6399-3)	Site snow load, S_o = Influenced by adjacent buildings?	0.64kN/m2 No
	Resistance to moisture/durability of exposed elements:	Max exposure (to wind driven rain) grading, as defined in BRE Report – Thermal Insulation: Avoiding Risks, Second Edition, 1994, to be exposure zone: Exposure to sea spray (i.e. coastal region) or de-icing salts? Other air contaminants or biological factors – please specify any enhanced resistance if applicable (refer to BS7543 for guidance)	Exposure Zones 1, 2, 3 and 4 - To be determined by site to site basis To be determined by site to site basis
	Design Life: (per BS 7543 – Durability of buildings and building elements, products and components)	Category of building design life = Design life of primary building envelope	60 years 60 years

E	Conditions of certification:
	<ol style="list-style-type: none"> The design shown and the specifications and materials referred to have been assessed and approved in accordance with the Building (Scotland) Regulations 2004 and in accordance with the supporting guidance in the Domestic Technical Handbooks which came into force with effect from 1 July 2017. The certificate shall be valid until invalidated by formal notice by the Local Authority Building Standards Scotland The design shown and the materials specified shall not be changed without reference to the Local Authority Building Standards Scotland responsible for certifying the system. Where reference is made on a plan or specification document to any Code of Practice, British or European Standard or manufacturer's instruction it shall be construed as a reference to such publication in the form in which it is in force at the date of this certificate. This certificate should not be regarded as a formal approval under the building warrant process prescribed by the Building (Scotland) Act 2003 enacted from 1 May 2005 The Dandara Statement of Structural Adequacy (dated 17 Jan 2019) referenced here under Section G, confirms that a structural appraisal has been carried out. It confirms that further site specific information MUST BE made available when a site specific building warrant is sought. Such additional information should take cognisance of Procedural Guidance on Certification including information to be submitted with a Building Warrant Application dated April 2010 Version 2 (January 2017). Confirmation of a holistic approach to structural adequacy of the entire completed building shall be provided by a registered engineer to the local authority within whose area the site specific dwelling is to be built.

Annexe of drawings, certificates and specification documents used in the assessment:

F	Drawing Number:	Revision:	Description:
	Dandara plans:		
	STAS_OAK_350	JAN 2019	OAK FLOOR PLANS.PDF
	STAS_OAK_351	JAN 2019	OAK FLOOR PLANS (HANDED).PDF
	STAS_OAK_352	JAN 2019	OAK (NO SUNROOM) FLOOR PLANS.PDF
	STAS_OAK_353	JAN 2019	OAK (NO SUNROOM) FLOOR PLANS (HANDED).PDF
	STAS_OAK_358	JAN 2019	OAK (NO SUNROOM) GROUND FLOOR PLANS SEMI-DETACHED.PDF
	STAS_OAK_359	JAN 2019	OAK (NO SUNROOM) FIRST FLOOR PLANS SEMI-DETACHED.PDF
	STAS_OAK_400	JAN 2019	OAK SECTIONS.PDF
	STAS_OAK_401	JAN 2019	OAK SECTIONS (HANDED).PDF
	STAS_OAK_402	JAN 2019	OAK (NO SUNROOM) SECTIONS.PDF
	STAS_OAK_403	JAN 2019	OAK (NO SUNROOM) SECTIONS (HANDED).PDF
	STAS_OAK_450	JAN 2019	OAK ELEVATIONS OPTION 1.PDF
	STAS_OAK_451	JAN 2019	OAK ELEVATIONS OPTION 2.PDF
	STAS_OAK_452	JAN 2019	OAK ELEVATIONS OPTION 3.PDF
	STAS_OAK_453	JAN 2019	OAK ELEVATIONS OPTION 4.PDF
	STAS_OAK_454	JAN 2019	OAK ELEVATIONS OPTION 5.PDF
	STAS_OAK_455	JAN 2019	OAK ELEVATIONS OPTION 6.PDF
	STAS_OAK_456	JAN 2019	OAK ELEVATIONS OPTION 7.PDF
	STAS_OAK_457	JAN 2019	OAK ELEVATIONS OPTION 8.PDF
	STAS_OAK_458	JAN 2019	OAK ELEVATIONS OPTION 9.PDF
	STAS_OAK_459	JAN 2019	OAK ELEVATIONS OPTION 10.PDF
	STAS_OAK_460	JAN 2019	OAK ELEVATIONS OPTION 11.PDF
	STAS_OAK_461	JAN 2019	OAK ELEVATIONS OPTION 12.PDF
	STAS_OAK_462	JAN 2019	OAK ELEVATIONS OPTION 13.PDF
	STAS_OAK_463	JAN 2019	OAK ELEVATIONS OPTION 14.PDF
	STAS_OAK_464	JAN 2019	OAK ELEVATIONS OPTION 15.PDF
	STAS_OAK_470	JAN 2019	OAK (NO SUNROOM) ELEVATIONS OPTION 1.PDF
	STAS_OAK_471	JAN 2019	OAK (NO SUNROOM) ELEVATIONS OPTION 2.PDF
	STAS_OAK_472	JAN 2019	OAK (NO SUNROOM) ELEVATIONS OPTION 3.PDF
	STAS_OAK_473	JAN 2019	OAK (NO SUNROOM) ELEVATIONS OPTION 4.PDF
	STAS_OAK_474	JAN 2019	OAK (NO SUNROOM) ELEVATIONS OPTION 5.PDF
	STAS_OAK_475	JAN 2019	OAK (NO SUNROOM) ELEVATIONS OPTION 6.PDF
	STAS_OAK_476	JAN 2019	OAK (NO SUNROOM) ELEVATIONS OPTION 7.PDF
	STAS_OAK_477	JAN 2019	OAK (NO SUNROOM) ELEVATIONS OPTION 8.PDF
	STAS_OAK_478	JAN 2019	OAK (NO SUNROOM) ELEVATIONS OPTION 9.PDF
	STAS_OAK_479	JAN 2019	OAK (NO SUNROOM) ELEVATIONS OPTION 10.PDF
	STAS_OAK_480	JAN 2019	OAK (NO SUNROOM) ELEVATIONS OPTION 11.PDF
	STAS_OAK_481	JAN 2019	OAK (NO SUNROOM) ELEVATIONS OPTION 12.PDF
	STAS_OAK_482	JAN 2019	OAK (NO SUNROOM) ELEVATIONS OPTION 13.PDF
	STAS_OAK_483	JAN 2019	OAK (NO SUNROOM) ELEVATIONS OPTION 14.PDF
	STAS_OAK_484	JAN 2019	OAK (NO SUNROOM) ELEVATIONS OPTION 15.PDF
	STAS_OAK_486	JAN 2019	OAK (NO SUNROOM) ELEVATIONS SEMI-DETACHED.PDF
	SAP submissions:		
	OAK	-	SAP_OAK.PDF
	OAK SUNROOM	-	SAP_OAK_SUNROOM.PDF

G	Certification	
	Dandara Statement Of Structural Adequacy	STATEMENT OF STRUCTURAL ADEQUACY.pdf From A. Ramsay BSc(Hons) CEng MStructE MICE dated January 2017

H	Specification	
	Dandara specification (dated Jan 2019)	CONSTRUCTION NOTES-09-05-19.PDF

H Section H (continued)			
Standard details			
Dandara Standard Details		DANDARA STANDARD DETAILS.PDF comprising of:	
A_CND_FDN_003-C10	SLAB BLOCKWORK AND RENDER.PDF	A_CND_R_019-C0	SPLAYED ROOF VALLEY
A_CND_FLR_001-C0	INTERMEDIATE FLOOR FYFESTONE DETAIL	A_CND_W&D_003-C0	DOOR HEAD RENDERED FINISH
A_CND_FLR_002-C0	INTERMEDIATE FLOOR BLOCK & RENDER DETAIL	A_CND_W&D_004-C0	DOOR HEAD FYFESTONE
A_CND_FLR_003-C0	INTERMEDIATE FLOOR FYFESTONE DETAIL	A_CND_W&D_005-C0	WINDOW CILL RENDERED FINISH
A_CND_FLR_004-C0	INTERMEDIATE FLOOR BLOCK & RENDER DETAIL	A_CND_W&D_006-C0	WINDOW CILL FYFESTONE
A_CND_FLR_005-C0	SEPERATING PARTY WALL	A_CND_W&D_007-C0	WINDOW HEAD RENDERED FINISH
A_CND_R_001-C0	EAVES AT WINDOW HEAD BLOCKWORK & RENDER DETAIL	A_CND_W&D_008-C0	WINDOW HEAD FYFESTONE FINISH
A_CND_R_002-C0	EAVES AT WINDOW HEAD FYFESTONE DETAIL	A_CND_W&D_013-C0	FRONT DOOR JAMB RENDER & FYFESTONE DETAIL
A_CND_R_005-C0	DRY VERGE BLOCKWORK & RENDER DETAIL	A_CND_W&D_016-C0	WINDOW JAMB RENDER & FYFESTONE DETAIL
A_CND_R_006-C0	DRY VERGE FYFESTONE DETAIL	A_CND_WA_003-C0	140MM LOAD BEARING STUD WALL JUNCTION WITH BLOCKWORK
A_CND_R_007-C0	TYPICAL RIDGE DETAIL	A_CND_WA_011-C0	PIPE BOXING DETAIL
A_CND_R_008-C0	EAVES (RAKING SOFFIT) AT WINDOW HEAD BLOCKWORK & RENDER DETAIL	A_CND_WA_013-C0	PARTY WALL JUNCTION DETAIL
A_CND_R_009-C0	EAVES (RAKING SOFFIT) AT WINDOW HEAD FYFESTONE DETAIL	A_CND_WA_014-C0	PARTY WALL JUNCTION WITH BOILER DETAIL
A_CND_R_015-C0	ROOF ABUTMENT RENDER PANEL DETAIL	A_CND_WA_020-C0	STEPPED PARTY WALL ROOF VERGE
A_CND_R_016-C0	PARTY WALL CEILING JUNCTION	JJI	ACOUSTIC PERFORMANCE OF 220MM JJI JOIST FLOOR
A_CND_R_017-C0	PARTY WALL TO ROOF JUNCTION	VUT 421	SEPARATING WALL ROOF DETAIL EAVES CLOSER
Bridging details			
Scotframe bridging details		SCOTFRAME BRIDGING DETAILS.PDF comprising of:	
PARTY WALL	EXTERNAL WALL OP	PARTY WALL	WALL HEAD
PARTY WALL	GROUND FLOOR	PSI VALUES FOR	V4 DEC 2014
PARTY WALL	INTERNAL FLOOR	OPEN PANEL SYSTEMS	

I Authority:		
This system type approval certificate consisting of 3 pages is authorised by:	Signature:	
Robert A Renton, Secretary to STAS on behalf of the Local Authority Building Standards Scotland (LABSS)		